



1276302.1.ST25
SEQUENCE LISTING

Yeda Research and Development Company Ltd.

<120> ASSAY FOR THE DIAGNOSIS OF SCHIZOPHRENIA BASED ON A NEW PEPTIDE

<130> 1276302

<140> 09/647,457

<141> 2000-09-29

<150> PCT/IL99/00190

<151> 1999-09-29

<150> 123925

<151> 1998-04-02

<160> 15

<170> PatentIn version 3.1

<210> 1

<211> 17

<212> PRT

<213> Unknown

<220>

<223> an isolated peptide which binds antibodies.

<220>

<221> MISC_FEATURE

<222> (1)..(17)

<223> Xaa in position 1 may be SGETEDTFIAD, IAD,AD,D or may be absent;
Xaa in position 9 may be C, G, or P; Xaa in position 15 may be AP
, or PA; Xaa in position 17 may be R, or may be absent.

<400> 1

Xaa Leu Val Val Gly Leu Cys Thr Xaa Gln Ile Lys Thr Gly Xaa Cys
1 5 10 15

Xaa

<210> 2

<211> 28

<212> PRT

<213> Unknown

<220>

<223> being the immunologically active epitope

<400> 2

Ser Gly Glu Thr Glu Asp Thr Phe Ile Ala Asp Leu Val Val Gly Leu
1 5 10 15

Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys Arg
20 25

RECEIVED

APR 17 2003

TECH CENTER 1600/2900

<210> 3
 <211> 16
 <212> PRT
 <213> Unknown

<220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients.

<400> 3

Leu Val Val Gly Leu Cys Thr Cys Gln Ile Lys Thr Gly Pro Ala Cys
 1 5 10 15

<210> 4
 <211> 20
 <212> PRT
 <213> Unknown

<220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients.

<400> 4

Ile Ala Asp Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly
 1 5 10 15

71 Ala Pro Cys Arg
 20

<210> 5
 <211> 19
 <212> PRT
 <213> Unknown

<220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 5

Ala Asp Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala
 1 5 10 15

Pro Cys Arg

<210> 6
 <211> 18
 <212> PRT
 <213> Unknown

<220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

1276302.1.ST25

<400> 6

Asp Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro
1 5 10 15

Cys Arg

<210> 7

<211> 17

<212> PRT

<213> Unknown

<220>

<223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 7

Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys
1 5 10 15

Arg

71
<210> 8

<211> 17

<212> PRT

<213> Unknown

<220>

<223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 8

Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Pro Ala Cys
1 5 10 15

Arg

<210> 9

<211> 17

<212> PRT

<213> Unknown

<220>

<223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 9

Leu Val Val Gly Leu Cys Thr Pro Gln Ile Lys Thr Gly Pro Ala Cys
1 5 10 15

Arg

<210> 10
 <211> 20
 <212> PRT
 <213> Unknown

<220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 10

Ser Gly Glu Thr Glu Asp Thr Phe Ile Ala Asp Leu Val Val Gly Leu
 1 5 10 15

Cys Thr Gly Gln
 20

<210> 11
 <211> 16
 <212> PRT
 <213> Unknown

91 <220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 11

Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys Arg
 1 5 10 15

<210> 12
 <211> 12
 <212> PRT
 <213> Unknown

<220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 12

Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys Arg
 1 5 10

<210> 13
 <211> 16
 <212> PRT
 <213> Unknown

<220>
 <223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

1276302.1.ST25

<400> 13

Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro Cys
1 5 10 15

<210> 14

<211> 15

<212> PRT

<213> Unknown

<220>

<223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 14

Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Ala Pro
1 5 10 15

<210> 15

<211> 16

<212> PRT

<213> Unknown

<220>

<223> peptide capable of binding antibodies that are found in elevated levels in body fluids of schizophrenic patients

<400> 15

Leu Val Val Gly Leu Cys Thr Gly Gln Ile Lys Thr Gly Pro Ala Cys
1 5 10 15